


# PACK EXPO International 2022





**TOTAL AMERICA, INC.**  
**Sustainable Packaging Solutions**  
**Recycle PE POUCH**  
MONO-MATERIAL  
Earth  
**COMPOST**  
Biodegradable

**TOTAL AMERICA, INC.** Serving the Market Since 1952

- gmi
  - FSSC 22000
  - ISO 9001
  - WALGREENS PACKAGING CERTIFIED
  - RETORT POUCHES
  - EASY PEEL LID FILM
  - 10 COLOR PRINTING
  - HIGH BARRIER LAMINATE
  - ROLLSTOCK
  - PERFORMED PRODUCTS
- COMMITMENT TO OUR CUSTOMERS**
- FSSC22000 (Food Safety System Certified)
  - Consistently High Quality Materials and Services
  - Superb Hands-on Customer Service
  - Local Technical Support

Table with white tablecloth displaying brochures and product samples.

alphaJET 5  
**NEXT GENERATION**  
CONTINUOUS INKJET PRINTERS

**GEM**

INKJET SYSTEMS

PRINTING & CO  
SINCE 1952  
CLASS SERVICE

**ta**  
TOTAL AMERICA, INC.  
Sustainable  
Packaging  
Solutions  
Recycle  
PE PO  
MONO-M  
COMP  
Biode



ogravure Printed  
ging Materials

**ta** TOTAL AMERICA, INC.



**FSSC 22000**

- WALGREENS PACKAGING CERTIFIED
- RETORT POUCHES
- EASY PEEL LID FILM
- HIGH BARRIER
- ROLLSTOCK
- PREFORMED
- 10 COLOR PRINTING

COMMITMENT TO OUR CUSTOMERS

- FSSC22000 (Food Safety System Certification)
- Consistently High Quality Materials
- Superb Hands-on Customer Service
- Technical Support








- ◆ WALGREENS PACKAGING CERTIFIED
- ◆ HIGH BARRIER LAMINATIONS
- ◆ RETORT POUCHES
- ◆ ROLLSTOCK
- ◆ EASY PEEL LID FILM
- ◆ PREFORMED POUCHES
- ◆ 10 COLOR PRINTING

**COMMITMENT TO OUR CUSTOMERS**

- ◆ FSSC22000 (Food Safety System Certification)
- ◆ Consistently High Quality Materials
- ◆ Superb Hands-on Customer Service
- ◆ Local Technical Support

**High Performance Barrier Packaging Solutions**

Protective barriers help retain freshness and flavor of food products for a long shelf life. Barrier packaging helps reduce food waste contributing to a more sustainable environment.

- High Moisture Barrier
- High Oxygen Barrier
- High Light Barrier
- High Temperature Resistance
- High Impact Resistance
- High Tear Resistance
- High Sealability
- High Printability
- High Processability
- High Recyclability

Film Structure	Length	Width	Thickness	Weight
1	1000	1000	0.05	0.05
2	1000	1000	0.05	0.05
3	1000	1000	0.05	0.05
4	1000	1000	0.05	0.05
5	1000	1000	0.05	0.05
6	1000	1000	0.05	0.05
7	1000	1000	0.05	0.05
8	1000	1000	0.05	0.05
9	1000	1000	0.05	0.05
10	1000	1000	0.05	0.05

**Film Structure Example**





























